## PRODUCT SHEET ALUMINIUM FOOTBALL GOAL, 3.66x1.83m, MOBILE

PRODUCT REF


S12080

PAIR

Alu structure Ø90 Powder coated

3.66x1.83m

European norm **EN 748** 



#### ASSEMBLY TIME

The assembly time for this goal is estimated at 30 minutes with 2 people (without footing).

According to the regulation above, this product has to be tested like below:

- Put 180kg at 20cm from the ground and in the middle of the crossbar for 1min.
- Apply an horizontal force of 110 kg on the middle of the crossbar, by a 3 meter rope, for 1min. After these tests, the equipment and the fixation system should not have break, move or show residual deformation.

During the first installation, stability and strength tests are compulsory.

Every time you install the equipment, a visual check of the stability and strength must be realized.

The owner of this equipment must usually control the product.

For an optimal use of our products, we advise to follow the installation and maintenance instructions.

The equipment has to be regularly maintained by the owner. It is recommended to:


- Check every week that all the bolts are correctly tightened
- Fix paint defects if the unit has been damaged, using the adapted paint specified by the manufacturer.
- Replace all damaged or missing parts with a spare part recommended by the manufacturer.
- Clean the product by using dishwasher soap, clean water, and soft cloth.

One full year parts and labour guarantee. Every claim regarding the condition of the delivered equipment has to be done within the warranty period following receipt of the product.


The warranty will not apply to:

- Any degradation during transport.
- Any degradation due to poor maintenance.
- Any degradation due to use differing from which the product was intended.
- Any defect claimed after the end of the warranty period.
- Any damage due to a faulty installation or assembly of the product.

# **FIXATION AND FOOTING** Field line . 39 Footing 500x500x350mm **Anchors** 3660 3917 NB: All the dimensions are in millimetres



- Dig the holes for the scelling of the anchors according to the written dimensions.
- Realize the footing with concret CPJ45 dosed by 350 kg and wait at least 72 hours (6 days during winter ).
- To avoid that the croncrete come into the anchors put the screw M14x40 on them. Moreover that can allow you to move the anchor.







Wrench 17mm

Allen wrench 6

#### **INCLUDED ITEMS**





















### 1- ASSEMBLY OF THE POSTS TO THE CROSSBAR (x4)



NECESSARY ITEMS


### ASSEMBLY

### 2- ASSEMBLY OF THE BACK CROSSBARS (x4)



**NECESSARY ITEMS** 


### 3 - ASSEMBLY OF THE POSTS TO THE BACK POSTS (x2)



screws. Once the uprights correctly positioned, you can fully tighten all fasteners. If the screws are too tight in the first step, fixation holes may not line up correctly along the assembly process.

**NECESSARY ITEMS** 






## ASSEMBLY

### 5 - FIXATION OF THE GOAL (x4)

Position the assembled goal completely over the anchors and position the front post in alignment with the goal line knowing that the post should be flush with the inside of the line ground.

Once positioned, fix the goal using the anchors and lifting rings as shown in the drawing.



NECESSARY ITEMS









ifting rings

#### PACKING LIST

# ALUMINIUM FOOTBALL GOAL, 3.66x1.83m, MOBILE

PRODUCT REF S12080 Index A **PAIR** NOMENCLATURE Weight (kg) Pack Quanti-Dim. **Packing Method** Ref Index Designation Description Plastic bubbles cardboard 5 Α1 S12074-01 Α 1 10 3500x130x110 Crossbar layers Plastic bubbles + **A2** S12074-01 Α Crossbar 1 cardboard 5 10 3500x130x110 layers Plastic bubbles -S12074-01 3500x130x110 А3 Α Crossbar 1 cardboard 5 10 layers Plastic bubbles + A4 S12074-01 Α Crossbar 1 cardboard 5 10 3500x130x110 layers Plastic bubbles + **A5** S12080-02 Α Posts L&R cardboard 5 11 1760x320x230 layers Plastic bubbles + A6 S12080-02 Α Posts L&R cardboard 5 11 1760x320x230 layers Plastic bubbles + Α7 S12174-03 Ε Ground side bar L&R 1 + 1cardboard 5 13.5 1800x430x430 layers Plastic bubbles -**A8** S12174-03 Ε Ground side bar L&R 1 + 1cardboard 5 13.5 1800x430x430 layers Α9 S12080-04 Α Side frame L&R Plastic bubbles 11 2410x960x250

A10	S12080-04	A	Side frame L&R		1+1	Plastic bubbles	11	2410x960x250
A11	S12080-09	Α	Accessories		1	cardboard 5 layers	3	300x100x100
			PRE-AS	SEMBLED ACCESSORI	ES			
Pack- age N°	Ref		Designation	Description		Qty	Note	
A5-A8	S12390		Joint bars M10 19x37	16		16	To fix the rear cages (pre inserted into the rails, and yellow or white colour)	
A1-A8	S12364		Hooks 1 fixation	84		84	Fixed on the goal	
A5 + A6	NHBD50100A		Conformity stickers	handless in the control of the contr		2	Stuck on the posts	

## PACKING LIST

# ALUMINIUM FOOTBALL GOAL, 3.66x1.83m, MOBILE

PRODUCT REF

S12080 Index A

**PAIR** 

ACCESSORIES PUT IN A CLEAR PVC BAG									
Package N°	Ref	Designation	Description	Qty	Note				
A11	BITK1030	SS Screws M10x30		4	Assembly of the sides ground bar to the post				
A11	S12471EZ-02	Lifting rings M14x40 + SS washers 14 + Anchor tubes		4 + 4 + 4	Fixation to the ground				
A11	S12475EZ-01	Anchors		4	Fixation to the ground				
A11	BITH1040 + LITA102220	SS Screws M10x40 + SS washers 10		32 + 32	Assembly of the crossbar to the posts				
	VISA PACKING DEPARTMENT DATE:								